

**TRAFFIC MANAGEMENT NOTES:**  
1) All temporary traffic management shall be in accordance with Chapter 8 of the Traffic Signs Manual.  
2) All temporary traffic management shall be in accordance with the Traffic Signs Regulations and General Directions 2016.  
3) All temporary traffic management shall conform to the Safety at Street Works and Road Works, A Code of Practice.  
4) All signing should be located 450mm minimum from any carriageway.  
5) All temporary traffic management sign locations are indicative and are subject to on site approval from the Engineer.

Gatemen locations indicative. Demand and resource levels to be assessed by RLTMO with floating operative to cover comfort breaks

**Key**

- Traffic sign
- Traffic cone
- Pedestrian barrier
- Cone lamp
- Diversion route
- Road closure

Page 1 of 4

Checked by: A.Shaw

Customer: Murphy

Job reference: DWG7965

Location: Bromford Lane, West Bromwich, B70 7JB

QR Code:

Date: 21/08/2025

Description: Road Closure

Scale: NTS

OS HA: 0













0330 043 3030  
www.corehighways.com


Produced by: J.Griffin

Design reference: JG/21.08.25/Z416245


This Design is subject to Copyright and remains the property of Core Highways. Contains Ordnance Survey data.



Sign Schedule	
	Qty: 1 Ref: 13.9 Schedule 13-9 : Temporary Information
	Qty: 2 Ref: 7010-FP-13-9 Nature of temporary hazard ahead - Road Closed
	Qty: 2 Ref: 517 Road narrows on one side only ahead - left
	Qty: 1 Ref: 7105 Lane closure barrier
	Qty: 2 Ref: 610 Keep right
	Qty: 2 Ref: 573 Direction to hazard left
	Qty: 3 Ref: 7010.1 Nature of temporary hazard ahead - Road Ahead Closed
	Qty: 4 Ref: 645 End panel
	Qty: 2 Ref: 573 Direction to hazard right
	Qty: 10 Ref: 7001 Road works ahead
	Qty: 1 Ref: 2702 Start of temporary diversion route
	Qty: 1 Ref: 2702 Start of temporary diversion route

Sign Schedule	
	Qty: 2 Ref: 7010-FP-13-9 Nature of temporary hazard ahead - Road Ahead Closed

**TRAFFIC MANAGEMENT NOTES:**  
 1) All temporary traffic management shall be in accordance with Chapter 8 of the Traffic Signs Manual.  
 2) All temporary traffic management shall be in accordance with the Traffic Signs Regulations and General Directions 2016.  
 3) All temporary traffic management shall conform to the Safety at Street Works and Road Works, A Code of Practice.  
 4) All signing should be located 450mm minimum from any carriageway.  
 5) All temporary traffic management sign locations are indicative and are subject to on site approval from the Engineer.

 Gatemen locations indicative. Demand and resource levels to be assessed by RLTMO with floating operative to cover comfort breaks

Key	
	Traffic sign
	Traffic cone
	Pedestrian barrier
	Cone lamp
	Diversion route
	Road closure

Page 2 of 4

Checked by: A.Shaw

Customer: Murphy

Job reference: DWG7965

Location: Bromford Lane, West Bromwich, B70 7JB

QR Code:

Date: 21/08/2025

Description: Road Closure

Scale: NTS

OS HA: 0

0330 043 3030

www.corehighways.com


Produced by: J.Griffin

Design reference: JG/21.08.25/Z416245

This Design is subject to Copyright and remains the property of Core Highways.  
Contains Ordnance Survey data.

**core**  
highways





**TRAFFIC MANAGEMENT NOTES:**  
1) All temporary traffic management shall be in accordance with Chapter 8 of the Traffic Signs Manual.  
2) All temporary traffic management shall be in accordance with the Traffic Signs Regulations and General Directions 2016.  
3) All temporary traffic management shall conform to the Safety at Street Works and Road Works, A Code of Practice.  
4) All signing should be located 450mm minimum from any carriageway.  
5) All temporary traffic management sign locations are indicative and are subject to on site approval from the Engineer.

Gatemen locations indicative. Demand and resource levels to be assessed by RLTMO with floating operative to cover comfort breaks

**Key**

- Traffic sign
- Traffic cone
- Pedestrian barrier
- Cone lamp
- Diversion route
- Road closure

**Page 3 of 4**

Checked by: A.Shaw

Customer: Murphy

Job reference: DWG7965

Location: Bromford Lane, West Bromwich, B70 7JB

QR Code:

Date: 21/08/2025

Description: Road Closure

Scale: NTS

OS HA: 0

0330 043 3030  
www.corehighways.com













Produced by: J.Griffin

Design reference: JG/21.08.25/Z416245


This Design is subject to Copyright and remains the property of Core Highways.  
Contains Ordnance Survey data.






**core**  
highways



Sign Schedule	
	Qty: 3    Ref: 2702 Start of temporary diversion route
	Qty: 4    Ref: 2702 Start of temporary diversion route
	Qty: 2    Ref: 13.9 Schedule 13-9 : Temporary Information
	Qty: 9    Ref: 2703 Direction of temporary diversion route from junction ahead
	Qty: 2    Ref: 2703 Direction of temporary diversion route from junction ahead
	Qty: 2    Ref: 2702 End of temporary diversion route
	Qty: 2    Ref: 7010-FP-13-9 Nature of temporary hazard ahead - Road Ahead Closed
	Qty: 3    Ref: 2703 Direction of temporary diversion route from junction ahead
	Qty: 14    Ref: 2704 Direction of temporary diversion route
	Qty: 15    Ref: 2704 Direction of temporary diversion route
	Qty: 1    Ref: 13.9 Schedule 13-9 : Temporary Information
	Qty: 4    Ref: 13.9 Schedule 13-9 : Temporary Information

**TRAFFIC MANAGEMENT NOTES:**  
1) All temporary traffic management shall be in accordance with Chapter 8 of the Traffic Signs Manual.  
2) All temporary traffic management shall be in accordance with the Traffic Signs Regulations and General Directions 2016.  
3) All temporary traffic management shall conform to the Safety at Street Works and Road Works, A Code of Practice.  
4) All signing should be located 450mm minimum from any carriageway.  
5) All temporary traffic management sign locations are indicative and are subject to on site approval from the Engineer.

 Gatemen locations indicative. Demand and resource levels to be assessed by RLTMO with floating operative to cover comfort breaks

Key	
	Traffic sign
	Traffic cone
	Pedestrian barrier
	Cone lamp
	Diversion route
	Road closure

Page 4 of 4

Checked by: A.Shaw

Customer: Murphy

Job reference: DWG7965

Location: Bromford Lane, West  
Bromwich, B70 7JB

QR Code:

Date: 21/08/2025

Description: Road Closure

Scale: NTS

OS HA: 0

0330 043 3030  
www.corehighways.com

Produced by: J.Griffin

Design reference: JG/21.08.25/Z416245

This Design is subject to Copyright and remains the property of Core Highways.  
Contains Ordnance Survey data.

